

My dosing card for Hemlibra® (emicizumab)

LOADING DOSE

3 mg/kg once a week for the first 4 weeks

Date: ____/____/____

My weight _____ kg

My dose: _____
for subcutaneous injection

AMOUNT TO USE:



Grey*

Sky Blue*

Purple

Turquoise

Brown

12mg/0.4mL
(30mg/mL)

30mg/1mL
(30mg/mL)

60mg/0.4mL
(150mg/mL)

105mg/0.7mL
(150mg/mL)

150mg/1mL
(150mg/mL)

MAINTENANCE DOSE

From week 5

Date: ____/____/____ My weight _____ kg

My dose:
(tick correct box)
 1.5 mg/kg every week
 3.0 mg/kg every 2 weeks
 6.0 mg/kg every 4 weeks
for subcutaneous injection

Total dose: _____

AMOUNT TO USE:



Grey*

Sky Blue*

Purple

Turquoise

Brown

12mg/0.4mL
(30mg/mL)

30mg/1mL
(30mg/mL)

60mg/0.4mL
(150mg/mL)

105mg/0.7mL
(150mg/mL)

150mg/1mL
(150mg/mL)



Each colour relates to the different caps used on each vial strength of Hemlibra

*The grey and sky blue topped vials contain 30mg/mL of emicizumab. The purple, turquoise and brown topped vials contain 150mg/mL of emicizumab. Do not combine vials containing 30mg/mL emicizumab in the same syringe as vials containing 150mg/mL emicizumab.

Fill in this diary card to keep track of your injections.

My injection day will be: _____

Fill in the date and tick the orange box when you complete each of your weekly injections.

LOADING DOSE

| LOADING DOSE | |
|---------------------|-----------------------------------|
| DATE | INJECTION(S) COMPLETED |
| | <input type="checkbox"/> |

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in the package leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard. You should also report side effects to Roche Products Ltd by emailing the Roche Drug Safety Centre at welwyn.uk_dsc@roche.com or calling +44 (0) 1707 367554. By reporting side effects you can help provide more information on the safety of this medicine.

MAINTENANCE DOSE